



RAPTOR


Fastener Type

RAPTOR® F/15 & F/14 Composite Finish Nails

3.0 mm → | ← 1/8"

		<u>Part #</u>
12 mm —	— 1/2"	F/15-050 CP
16 mm —	— 5/8"	F/15-063CP
19 mm —	— 3/4"	F/15-075 CP
25 mm —	— 1"	F/15-100 CP
32 mm —	— 1-1/4"	F/15-125 CP F/15-125
38 mm —	— 1-1/2"	F/15-150 CP F/15-150
51 mm —	— 2"	F/15-200
57 mm —	— 2-1/4"	F/14-225 (14Ga)

CP = Chisel Point



BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**

APPLICATIONS

CNC cutting
 Cellular PVC trim
 Doors
 Windows
 Cabinets
 Furniture
 Boatbuilding
 Casket Manufacturing
 Woodworking

TOOLS

OMER B17P.763

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.

Maximum holding power of the RAPTOR® F/15 & F/14 fasteners is achieved with about 3/8" penetration into the substrate.



Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247



OMER B17P.763 Finish Nailer

The B17P.763 Finish Nailer drives RAPTOR® 15 & 14 gauge composite finish nails from 1/2" up to 2-1/4" lengths. This tool is designed with features to make it accessible and operator friendly. The nose plate has a quick release for easy clearing of debris and the magazine loads from the rear rather than from the top for easy insertion of nails. The magnesium body provides extreme power with an outstanding power-to-weight ratio.



TECHNICAL DATA

Model	OMER B17P.763
Fastener range	1/2" – 2-1/4" (12 – 57mm)
Magazine capacity	85 nails
Operating pressure	70 – 105 psi (5 – 7.5 bar)
Dimensions LxWxH	12.13" x 3.0" x 10.25" (308 x 77 x 260mm)
Weight	3.8 lb (1.7 kg)



Universal Tag, Inc.

Authorized Distributor:


36 Hall Rd. - PO Box 1518
Dudley, MA 01571


800-332-8247



RAPTOR

Fastener Type **RAPTOR® B/18 Composite** **18 Gauge Brad**

2.0 mm →			← 0.08"
			
		<u>Part #</u>	
11 mm —	— 7/16"	B/18-044	
16 mm —	— 5/8"	B/18-063	
20 mm —	— 3/4"	B/18-080	
25 mm —	— 1"	B/18-100	



BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**
- ✓ **No need to putty**

APPLICATIONS

Cabinets
Doors
Decorative trim
Molding
Paneling
Picture frames
Rattan
Scribe molding
Woodworking
Boatbuilding

TOOLS

OMER 12.40P
OMER 12.20P (≤ 3/4")

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.

Maximum holding power of the RAPTOR® fasteners is achieved with shorter nails, compared to metal fasteners.



Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247



RAPTOR

Brad Nailers

OMER 12.40P

OMER 12.20P

The 12.40P brad nailer drives RAPTOR® 18 gauge composite brads from 7/16” through 1” in length. The 12.20P brad nailer drives RAPTOR® 18 gauge composite brads from 7/16” through 3/4” in length.

The narrow nose of both tools allow for superior nail placement in hard to reach areas and corners. The compact designs provide tools that make it easy to use all day long. The 12.40P has an added feature that prevents firing if the magazine is empty.



12.40P



12.20P

TECHNICAL DATA

Model	OMER 12.40P	OMER 12.20P
Fastener range	7/16”; 5/8”; 3/4”; 1” (11;16; 20; 25mm)	7/16”; 5/8”; 3/4” (11; 16; 20mm)
Magazine capacity	100 brads	100 brads
Operating air pressure	70 – 95 psi (5 – 6.5 bar)	60 – 90 psi (4 – 6 bar)
Dimensions LxWxH	8.9” x 2.0” x 8.8” (226 x 50 x 223mm)	9.1” x 1.7” x 6.4” (230 x 43 x 162mm)
Weight	2.5 lb (1.15 kg)	1.9 lb (0.9 kg)
Safety	Nose	Trigger

Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247






Fastener Type RAPTOR® P/16 Composite 16 Gauge Pin

1.4 mm → | | ← .055"

		<u>Part#</u>
11 mm —	— 7/16"	P/16-044
16 mm —	— 5/8"	P/16-063
19 mm —	— 3/4"	P/16-075



BENEFITS

- ✓ Sawable, Sandable & Planeable
- ✓ Never Rusts or Corrodes
- ✓ Bonds Like Glue
- ✓ Completely Non-Metal
- ✓ No Need to Putty

APPLICATIONS

Glazing bead
Cabinets
Doors
Carvings
Decorative trim
Molding
Picture Frames
Woodworking

TOOLS

OMER R14.25P

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.

Maximum holding power of the RAPTOR® fasteners is achieved with shorter nails, compared to metal fasteners.

Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247





OMER R14.25P Headless Pinner

The R14.25P has been designed to fire RAPTOR® 16 gauge composite headless pins from 7/16" through 3/4" in length. This is the perfect tool for your most demanding, intricate finish and trim projects.

The pins fasten the smallest of decorative trim securely and leave a nearly invisible hole. Puttying is not necessary.



TECHNICAL DATA

Model	OMER R14.25P
Fastener range	7/16"; 5/8"; 3/4" (11; 16; 19mm)
Magazine capacity	70 pins
Operating air pressure	70 – 100 psi (5 – 7 bar)
Dimensions LxWxH	8.6" x 1.7" x 7.3" (219 x 43 x 186mm)
Weight	2.4 lb (1.07 kg)
Safety	Trigger

Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247






Fastener Type

RAPTOR® P/18 Composite

18 Gauge Pin

1.1 mm → ← .044"		
		Part#
11 mm — — 7/16"		P/18-044
16 mm — — 5/8"		P/18-063
20 mm — — 3/4"		P/18-080
25 mm — — 1"		P/18-100



BENEFITS

- ✓ Sawable, Sandable & Planeable
- ✓ Never Rusts or Corrodes
- ✓ Bonds Like Glue
- ✓ Completely Non-Metal
- ✓ No need to putty

APPLICATIONS

Glazing bead
Cabinets
Doors
Carvings
Decorative trim
Molding
Picture Frames
Woodworking

TOOLS

OMER RI.25P

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.

Maximum holding power of the RAPTOR® fasteners is achieved with shorter nails, compared to metal fasteners.



Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247



OMER RI.25P Headless Pinner

The RI.25P has been designed to fire RAPTOR® 18 gauge composite headless pins from 7/16" through 1" in length. This is the perfect tool for your delicate finish and trim projects.

The driven pin is virtually undetectable and puttying is not necessary.



TECHNICAL DATA

Model	OMER RI.25P
Fastener range	7/16"; 5/8"; 3/4"; 1" (11; 16; 20; 25mm)
Magazine capacity	100 pins
Operating air pressure	70 – 100 psi (5 – 7 bar)
Dimensions LxWxH	8.6" x 1.7" x 7.3" (219 x 43 x 186mm)
Weight	2.4 lbs (1.07kg)
Safety	Trigger

Universal Tag, Inc.

Authorized Distributor:

36 Hall Rd. - PO Box 1518
Dudley, MA 01571

800-332-8247

